

70

Notice of Violation Pursuant to Requirements  
of the Resource Conservation and Recovery Act (RCRA).

6

TO: Facility Name: REID SUPPLY COMPANY

Address: 2549 NORTH NEW YORK

WICHITA, KANSAS 67211

EPA ID Nbr: KSD007246846

Date: APRIL 6, 1984

During an inspection just completed to determine compliance with the requirements of Subtitle C of RCRA and regulations promulgated pursuant thereto, the following violations were identified:

Citation	Description of Violation
<u>40 CFR 265.15(d)</u>	<u>1. INSPECTION LOG DOES NOT INCLUDE NAME OF INSPECTOR CONDUCTING EACH DAILY INSPECTION (SINGLE NAME AT TOP OF LOG 1 LOG PAGE COVERS 1 WEEK OF INSPECTION)</u>
<u>40 CFR 265.32(e)(3)</u>	<u>2. NO EMERGENCY OR COMMUNICATION OR ALARM EQUIPMENT</u>
<u>40 CFR 265.37(a)(3)</u>	<u>3. NO ARRANGEMENTS WITH LOCAL EMERGENCY RESPONSE CONTRACTORS - FOR CONTAINMENT/CLEAN-UP OF A MAJOR SPILL.</u>
<u>40 CFR 265.53(b)</u>	<u>4. CONTINGENCY PLAN NOT SUBMITTED TO LOCAL AUTHORITIES WHO MIGHT RESPOND TO FACILITY EMERGENCY</u>
<u>40 CFR 265.52(e)</u>	<u>5. LOCATION AND DESCRIPTION OF FACILITY EMERGENCY EQUIPMENT NOT PLACED INTO FACILITY CONTINGENCY PLAN - INFORMATION HAS BEEN DEVELOPED - NOT YET ATTACHED TO CURRENT FACILITY CONTINGENCY PLAN.</u>

This notice is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order (Administrative Civil Complaint) issued pursuant to Section 3008 of RCRA and may not be a complete listing of all violations which may be identified as a result of this inspection.

The \_\_\_\_\_ is hereby requested to submit in writing within 10 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary correction actions to be taken to:

\_\_\_\_\_, Chief, Air and Waste Compliance Branch, U.S. Environmental Protection Agency, Region VII, 324 East Eleventh Street, Kansas City, Missouri 64106.

The corrective actions taken by \_\_\_\_\_ will be considered in determining whether any enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this Notice or wish to discuss your response you may call \_\_\_\_\_ (U.S. EPA) at 816/374-\_\_\_\_\_, or \_\_\_\_\_, at \_\_\_\_\_.

This Notice prepared by John W. Bosby Date April 6, 1984

The undersigned person hereby acknowledges that he/she has received a copy of this Notice and has read same.

Distribution:

Original-Facility Rep.

Pink -AWCM

Yellow -ENSV

Green -State

Printed Name: \_\_\_\_\_ Date \_\_\_\_\_

Signature: \_\_\_\_\_

Title: \_\_\_\_\_



Notice of Violation Pursuant to Requirements  
of the Resource Conservation and Recovery Act (RCRA).

TO: Facility Name: REID SUPPLY - CONTINUED  
Address: \_\_\_\_\_  
\_\_\_\_\_  
EPA ID Nbr: \_\_\_\_\_ Date: \_\_\_\_\_

During an inspection just completed to determine compliance with the requirements of Subtitle C of RCRA and regulations promulgated pursuant thereto, the following violations were identified:

Citation	Description of Violation
<u>40 CFR 265.2625.7</u>	<u>6. FAILURE BY TSD FACILITY TO SIGN MANIFEST USED TO SHIP HAZARDOUS WASTE TO FACILITY</u>
<u>40 CFR 265.176</u>	<u>7. STORAGE OF UNITABLE HAZARDOUS WASTE LESS THAN 50 FEET FROM PROPERTY LINE</u>
<u>40 CFR 265.13 (A.1)</u>	<u>8. INSUFFICIENT WASTE ANALYSIS INFORMATION TO PROPERLY HANDLE WASTES - NO BTU ANALYSIS ON ALL SEPARATE WASTESTREAMS BLENDED INTO MIXTURES BURNED AS FUEL - TESTING ON FINAL MIXTURE ONLY</u>
<u>40 CFR 261.6</u>	<u>9. POSSIBLE IMPROPER DISPOSAL OF HAZARDOUS WASTE BY BLENDING LOW BTU VALUE WASTE INTO MIXTURE BURNED AS FUEL - FILTER CAKE - SETTLING TANK WASTE - FACILITY STILL BOTTOMS - OFFSITE WASTES</u>

This notice is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order (Administrative Civil Complaint) issued pursuant to Section 3008 of RCRA and may not be a complete listing of all violations which may be identified as a result of this inspection.

The \_\_\_\_\_ is hereby requested to submit in writing within 10 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary correction actions to be taken to: \_\_\_\_\_, Chief, Air and Waste Compliance Branch, U.S. Environmental Protection Agency, Region VII, 324 East Eleventh Street, Kansas City, Missouri 64106. The corrective actions taken by \_\_\_\_\_ will be considered in determining whether any enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this Notice or wish to discuss your response you may call \_\_\_\_\_ (U.S. EPA) at 816/374-\_\_\_\_\_, or \_\_\_\_\_, at \_\_\_\_\_.

This Notice prepared by John W. Borly Date April 6, 1984

The undersigned person hereby acknowledges that he/she has received a copy of this Notice and has read same.

Distribution:  
Original-Facility Rep. Printed Name: \_\_\_\_\_ Date \_\_\_\_\_  
Pink -AWCM Signature: \_\_\_\_\_  
Yellow -ENSV Title: \_\_\_\_\_  
Green -State



Notice of Violation Pursuant to Requirements  
of the Resource Conservation and Recovery Act (RCRA).

TO: Facility Name: REID SUPPLY - CONTINUED  
Address: \_\_\_\_\_  
EPA ID Nbr: \_\_\_\_\_ Date: \_\_\_\_\_

During an inspection just completed to determine compliance with the requirements of Subtitle C of RCRA and regulations promulgated pursuant thereto, the following violations were identified:

Citation	Description of Violation
<u>40 CFR 263</u> <u>(REFER TO D.O.T. REGS.)</u>	<u>10. ACCEPTED FOR TRANSPORTATION TWO DRUMS</u> <u>IN VERY POOR CONDITION</u>
<u>40 CFR 265.15(a) &amp; (c)</u>	<u>11. FAILURE TO PROPERLY CONDUCT INSPECTION AND THE</u> <u>NECESSARY REMEDIAL ACTION - MANY DRUMS IN</u> <u>STORAGE LEAKING AND IN POOR CONDITION</u>
<u>40 CFR 265.15(b)</u>	<u>12. INSPECTION PLAN DOES NOT ADDRESS ALL AREAS WHERE</u> <u>WASTE IS STORED: - REAR PLANT AREA, - IN FRONT OF AND</u> <u>AROUND WAREHOUSE AND PROCESSING AREA</u>
<u>40 CFR 265.142(a)</u>	<u>13. LOW CLOSURE COST ESTIMATE - DUE TO EXCESSIVE NUMBER</u> <u>OF DAMAGED WASTES IN STORAGE</u>
<u>40 CFR 265.142(b)</u>	<u>14. CLOSURE COST NOT YET UPDATED SINCE LAST ESTIMATE</u>
<u>40 CFR 265.143(c)</u>	<u>15. USE OF IMPROPERLY WORDED LETTER OF CREDIT TO FUND</u> <u>CLOSURE COSTS - ALSO, NO STANDBY TRUST FUND</u>

This notice is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order (Administrative Civil Complaint) issued pursuant to Section 3008 of RCRA and may not be a complete listing of all violations which may be identified as a result of this inspection.

The \_\_\_\_\_ is hereby requested to submit in writing within 10 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary correction actions to be taken to:

\_\_\_\_\_, Chief, Air and Waste Compliance Branch, U.S. Environmental Protection Agency, Region VII, 324 East Eleventh Street, Kansas City, Missouri 64106. The corrective actions taken by \_\_\_\_\_ will be considered in determining whether any enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this Notice or wish to discuss your response you may call \_\_\_\_\_ (U.S. EPA) at 816/374-\_\_\_\_\_, or \_\_\_\_\_, at \_\_\_\_\_.

This Notice prepared by John W. Borty Date April 6, 1984

The undersigned person hereby acknowledges that he/she has received a copy of this Notice and has read same.

Distribution:

Original-Facility Rep.  
Pink -AWCM  
Yellow -ENSV  
Green -State

Printed Name: \_\_\_\_\_ Date \_\_\_\_\_  
Signature: \_\_\_\_\_  
Title: \_\_\_\_\_

Notice of Violation Pursuant to Requirements  
of the Resource Conservation and Recovery Act (RCRA).

TO: Facility Name: REID Supply - CONTINUED  
Address: \_\_\_\_\_  
EPA ID Nbr: \_\_\_\_\_ Date: \_\_\_\_\_

During an inspection just completed to determine compliance with the requirements of Subtitle C of RCRA and regulations promulgated pursuant thereto, the following violations were identified:

Citation	Description of Violation
	16. <u>IMPROPERLY IDENTIFIED WASTES ACCEPTED/STORED</u>
	<u>BY TSD, DISCREPANCY ON MANIFEST. (DEGRADER)</u>
<u>40 CFR 265.177(c)</u>	17. <u>CLOSE STORAGE OF INCOMPATIBLE MATERIALS (WASTE ACID-LEAKING CONTAINERS) AND SOLVENTS, SLUR</u>
<u>40 CFR 265.173(a)</u>	18. <u>MANY DRUMS IN STORAGE ARE OPEN</u>
<u>40 CFR 265.171</u>	19. <u>MANY DRUMS IN OBVIOUSLY DETEIORATED CONDITION</u>
<u>40 CFR 265.171, 173</u>	20. <u>MANY DRUMS W STORAGE WERE LEAKING OR APPEARED TO HAVE LEAKED</u>
<u>40 CFR 265.35</u>	21. <u>INADEQUATE AISLE SPACING - WAREHOUSE</u> <u>- IN FRONT OF WAREHOUSE - INSIDE PROCESS AREA FENCE</u> <u>- IN REAR OF PLANT</u>
<u>40 CFR 265.173(b)</u>	22. <u>PRECARIOUS STORAGE - MANY STACKS OF DRUMS ARE LEANING</u>

This notice is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order (Administrative Civil Complaint) issued pursuant to Section 3008 of RCRA and may not be a complete listing of all violations which may be identified as a result of this inspection.

The \_\_\_\_\_ is hereby requested to submit in writing within 10 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary correction actions to be taken to:

\_\_\_\_\_, Chief, Air and Waste Compliance Branch, U.S. Environmental Protection Agency, Region VII, 324 East Eleventh Street, Kansas City, Missouri 64106. The corrective actions taken by \_\_\_\_\_ will be considered in determining whether any enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this Notice or wish to discuss your response you may call \_\_\_\_\_ (U.S. EPA) at 816/374-\_\_\_\_\_, or \_\_\_\_\_, at \_\_\_\_\_.

This Notice prepared by John W. Bochy Date April 6, 1984

The undersigned person hereby acknowledges that he/she has received a copy of this Notice and has read same.

Distribution:

Original-Facility Rep.  
Pink -AWCM  
Yellow -ENSV  
Green -State

Printed Name: \_\_\_\_\_ Date \_\_\_\_\_  
Signature: \_\_\_\_\_  
Title: \_\_\_\_\_

Notice of Violation Pursuant to Requirements  
of the Resource Conservation and Recovery Act (RCRA).

TO: Facility Name: REID Supply - CONTINUED  
Address: \_\_\_\_\_  
EPA ID Nbr: \_\_\_\_\_ Date: \_\_\_\_\_

During an inspection just completed to determine compliance with the requirements of Subtitle C of RCRA and regulations promulgated pursuant thereto, the following violations were identified:

Citation	Description of Violation
<u>40 CFR 265.14</u>	<u>23. LACK OF ADEQUATE SECURITY - STORAGE OUTSIDE</u> <u>(IN FRONT OF) WAREHOUSE OUTSIDE</u>
<u>40 CFR 270.71</u>	<u>24. STORAGE OF HAZARDOUS WASTE IN DESIGNATED AREAS</u> <u>(AREAS LISTED IN PART A &amp; PART B APPLICATIONS)</u>
<u>40 CFR 265.14(c)</u>	<u>25. LACK OF SIGNS AROUND ENTIRE FACILITY</u> <u>FENCING AT NECESSARY INTERVALS.</u> <u>- REAR OF PLANT FENCE - REAR OF PROCESS AREA FENCE</u>
<u>40 CFR 270.71(3)</u>	<u>26. STORAGE OF HAZARDOUS WASTE IN DRUMS (200)</u> <u>IN EXCESS OF AMOUNTS LISTED IN PART A &amp; PART B</u>

This notice is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order (Administrative Civil Complaint) issued pursuant to Section 3008 of RCRA and may not be a complete listing of all violations which may be identified as a result of this inspection.

The REID Supply Company is hereby requested to submit in writing within 10 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary correction actions to be taken to:

MICHAEL J. SANDERSON, Chief, Air and Waste Compliance Branch, U.S. Environmental Protection Agency, Region VII, 324 East Eleventh Street, Kansas City, Missouri 64106.

The corrective actions taken by REID Supply will be considered in determining whether any enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this Notice or wish to discuss your response you may call WAYNE KAISER (U.S. EPA) at 816/374-7133, or TOM GROSS KDHB ( ), at 913/862-9360.

This Notice prepared by John W. Boshy Date April 6, 1984

The undersigned person hereby acknowledges that he/she has received a copy of this Notice and has read same.

Distribution:

Original-Facility Rep.  
Pink -AWCM  
Yellow -ENSV  
Green -State

Printed Name: David G. Trombald Date 4/6/84  
Signature: David G. Trombald  
Title: Hazardous Waste Coordinator